

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (withdrawn) An information processing apparatus capable of communicating with a portable device by radio, comprising:
  - means for establishing a radio link to the portable device;
  - means for detecting a field strength in a state where the radio link has been established; and
  - means for setting the information processing apparatus in a power save state when the field strength detected by said detection means lowers to a predetermined value.
2. (withdrawn) The apparatus according to claim 1, wherein said setting means returns said information processing apparatus from the power save state when the field strength detected by said detection means exceeds a predetermined value.
3. (withdrawn) The apparatus according to claim 1, wherein the power save state has a plurality of stages with different power consumption amounts, and  
said setting means determines a stage of the power save state to be set on the basis of the field strength detected by said detection means.

4. (currently amended) An information processing apparatus capable of communicating with a portable device by radio, comprising:

means for establishing a radio link to the portable device;

means for detecting a field strength in a state where the radio link has been established; and

~~means for controlling a specified program on the basis of the field strength detected by said detection means~~ activating a specified program among a plurality of programs operable in the information processing apparatus in accordance with a level of the field strength detected by the detecting means, the specified program controlling admission of use for the information processing apparatus.

5. (currently amended) The apparatus according to claim 4, wherein the specified program is a program for executing logoff processing of canceling a state of logon to said information processing apparatus from said portable device, and said ~~controlling~~ activating means activates the specified program when the field strength detected by said ~~detection~~ detecting means lowers to a predetermined value.

6. (currently amended) The apparatus according to claim 4, wherein the specified program is a user program for personal information management, and said ~~controlling~~ activating means inhibits the user program when the field strength detected by said ~~detection~~ detecting means lowers to a predetermined value.

7. (withdrawn) An information processing apparatus capable of communicating with a portable device by radio, comprising:

means for executing logon processing to said information processing apparatus from said portable device on the basis of user authentication information transmitted from the portable device by radio;

means for detecting a field strength from the portable device; and

means for executing logoff processing of canceling a state of logon to said information processing apparatus from said portable device when the field strength detected by said detection means lowers to a predetermined value.

8. (withdrawn) The apparatus according to claim 7, further comprising:

means for determining whether or not the portable device for which the radio link has been established leaves a radio communicable zone in accordance with the field strength detected by said detection means; and

means for setting said information processing apparatus in the power save state when the portable device for which the radio link has been established leaves the radio communicable zone.

9. (withdrawn) The apparatus according to claim 8, further comprising means for returning said information processing apparatus from the power save state to an operating state when the portable device moves from an incommunicable zone to the radio communicable zone.

10. (withdrawn) An operating state control method of controlling an operating state of an information processing apparatus capable of communicating with a portable device by radio, comprising the steps of:

detecting a field strength in a state where a radio link to the portable device has been established; and

setting the information processing apparatus in a power save state when the field strength detected in the detection step lowers to a predetermined value.

11. (withdrawn) The method according to claim 10, further comprising a step of returning the portable device from the power save state when the field strength detected in the detection step exceeds a predetermined value.

12. (withdrawn) The method according to claim 10, further comprising a step of

determining a stage of the power save state to be set from a plurality of stages with different power consumption amounts on the basis of the field strength detected in the detection state.

13. (currently amended) An operating state control method of controlling an operating state of an information processing apparatus capable of communicating with a portable device by radio, comprising the steps of:

detecting a field strength in a state where a radio link to the portable device has been established; and

~~controlling a specified program on the basis of the field strength detected in the~~  
~~detection step~~ activating a specified program among a plurality of programs operable in  
the information processing apparatus in accordance with a level of the field strength  
detected in the detecting step, the specified program controlling admission of use for the  
information processing apparatus.

14. (currently amended) The method according to claim 13, wherein  
the specified program is a program for executing logoff processing of canceling a  
state of logon to said information processing apparatus from said portable device, and  
the ~~controlling~~ activating step comprises activating the specified program when  
the field strength detected in the ~~detection~~ detecting step lowers to a predetermined  
value.

15. (currently amended) The method according to claim 13, wherein  
the specified program is a user program for personal information management,  
and  
said ~~controlling~~ activating step comprises inhibiting the user program when the  
field strength detected in the ~~detection~~ detecting step lowers to a predetermined value.

16. (withdrawn) An operating state control method of controlling an  
operating state of an information processing apparatus capable of communicating with a  
portable device by radio, comprising the steps of:

executing logon processing to said information processing apparatus from said portable device on the basis of user authentication information transmitted from the portable device by radio;

detecting a field strength from the portable device; and

executing logoff processing of canceling a state of logon to said information processing apparatus from said portable device when the field strength detected in the detection step lowers to a predetermined value.

17. (withdrawn) The method according to claim 16, further comprising the steps of:

determining whether or not the portable device for which the radio link has been established leaves a radio communicable zone in accordance with the field strength detected by said detection means; and

setting said information processing apparatus in the power save state when the portable device for which the radio link has been established leaves a radio communicable zone.

18. (withdrawn) The method according to claim 17, further comprising a step of returning said information processing apparatus from the power save state to an operating state when the portable device moves from an incommunicable zone to the radio communicable zone.